



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/591,474

09/01/2006

Itaru Kanno

33082M341

1445

441 7590 07/17/2009

SMITH, GAMBRELL & RUSSELL  
1130 CONNECTICUT AVENUE, N.W., SUITE 1130  
WASHINGTON, DC 20036

EXAMINER

OSTERHOUT, BENJAMIN LEE

ART UNIT

PAPER NUMBER

1792

MAIL DATE

DELIVERY MODE

07/17/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/591,474	<b>Applicant(s)</b> KANNO ET AL.	
	<b>Examiner</b> BENJAMIN OSTERHOUT	<b>Art Unit</b> 1792	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 September 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. ____.                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>20090217, 20061103, 20060901</u> .                            | 6) <input type="checkbox"/> Other: ____.                          |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication 20030079764 to Hirose et al. (Hirose) in view of Japanese Patent Application Publication No. JP 2001252604 to Tateyama.

Regarding claim 1, Hirose teaches a substrate processing apparatus for cleaning a semiconductor (paragraph 2, ll. 1-3) wherein a two fluid nozzle (Fig. 7, generally, paragraph 47, ll. 1-2) mixes a gas and liquid comprising: a nitrogen gas supply passage (Fig. 7, part 28), a liquid passage for supplying deionized water (Fig. 7, part 27), and an ejection passage (lead-out passage, Fig. 7, part 45a) to eject a mixture fluid (paragraph 78, ll. 7-13); wherein the ejection passage has an opening (port) is formed at the front

Art Unit: 1792

end of the ejection passage (Fig. 7, near parts 45 and 45a); wherein the cross-sectional area of the ejection of the exit of the nitrogen gas supply passage is smaller than the cross-sectional area of the ejection passage (Fig. 7, near converging arrows and 45a). Hirose teaches an ejection port with a cross-sectional area equal to the ejection passage. Hirose does not teach that the cross-sectional area of the ejection port is smaller than a cross-sectional area of the ejection passage.

Tateyama teaches a substrate processing apparatus (paragraph 1, ll. 1-3) wherein the nozzle (Fig. 5, part 60) has a discharge opening (Fig. 5, part 63) that has a cross-sectional area smaller than a cross section area of the passage leading up to the opening (Fig. 5, parts 60 and 63) in order to apply liquid cleaning solution and clean the substrate (paragraph 1, ll. 1-3).

Since Hirose and Tateyama both teach substrate processing apparatuses with liquid nozzles, it would have been obvious to substitute the nozzle of Hirose with the nozzle of Tateyama with an opening that has a smaller cross-sectional area than the passage leading up to the opening in order to achieve the predictable result of applying cleaning liquid to a substrate and cleaning said substrate.

Regarding claim 2, Hirose in view of Tateyama is relied upon as above in claim 1. While Hirose in view of Tateyama discloses the claimed invention except for the cross-sectional area range of the ejection passage to the ejection port is 1: 0.25 to 0.81, it would have been obvious to one skilled in the art at the time of invention to use the claimed range of claim 2, since it has been held that where the general conditions of a

Art Unit: 1792

claim are disclosed in the prior art, discovering the optimum workable ranges involves only routine skill in the art (see MPEP 2144.05, Section II, A).

Regarding claim 3, Hirose in view of Tateyama is relied upon as above in claim

1. Hirose teaches that the cross-sectional area of the nitrogen gas supply passage is smaller than the cross-sectional area of the ejection port (Fig. 7, parts 28 and near 45a).

Regarding claim 4, Hirsose in view of Tateyama is relied upon as above in claim

3. While Hirsose in view of Tateyama discloses the claimed invention except for the cross-sectional area range of the ejection port to the nitrogen gas supply passage is 1: 0.16 to 0.87, it would have been obvious to one skilled in the art at the time of invention to use the claimed range of claim 4, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum workable ranges involves only routine skill in the art (see MPEP 2144.05, Section II, A).

Regarding claim 5, Hirsose in view of Tateyama is relied upon as above in claim

4. While Hirsose in view of Tateyama discloses the claimed invention except for the cross-sectional area range of the nitrogen gas supply passage is  $1.13 \text{ mm}^2$  to  $6.16 \text{ mm}^2$ , it would have been obvious to one skilled in the art at the time of invention to use the claimed range of claim 5, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum workable ranges involves only routine skill in the art (see MPEP 2144.05, Section II, A).

Regarding claim 6, Hirsose in view of Tateyama is relied upon as above in claim

4. While Hirsose in view of Tateyama discloses the claimed invention except for the cross-sectional area range of the nitrogen gas supply passage is  $1.77 \text{ mm}^2$  to  $4.91$

Art Unit: 1792

mm<sup>2</sup>, it would have been obvious to one skilled in the art at the time of invention to use the claimed range of claim 6, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum workable ranges involves only routine skill in the art (see MPEP 2144.05, Section II, A).

Regarding claim 7, Hirsose in view of Tateyama is relied upon as above in claim 1. Hirose teaches that the ejection passage is formed in a straight shape and that the cross-sectional area of the ejection passage is constant (Fig. 7, part 45a).

Regarding claim 8, Hirsose in view of Tateyama is relied upon as above in claim 7. While discloses the claimed invention except for a length of the ejection passage is 10 mm to 90 mm, it would have been obvious to one skilled in the art at the time of invention to use the claimed range of claim 8, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum workable ranges involves only routine skill in the art (see MPEP 2144.05, Section II, A).

Regarding claim 9, Hirsose in view of Tateyama is relied upon as above in claim 1. While Hirsose in view of Tateyama disclosed the claimed invention except for a length of the ejection port being 30 mm or shorter it would have been obvious to one skilled in the art at the time of invention to use the 30 mm or shorter ejection port, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art (see MPEP 2144.05, Section II, Part B).

Regarding claim 10, Hirsose in view of Tateyama is relied upon as above in claim 1. Hirose teaches that a buffer chamber (liquid introduction passage, Fig. 7, part 44a) has an annular shape and surrounds the nitrogen gas supply passage (Fig. 7, part 28)

Art Unit: 1792

wherein the nitrogen gas supply passage is coaxial with the ejection passage (Fig. 7, parts 28 and 45a); the liquid supply (Fig. 7, part 27) is opened on an outer peripheral face of the buffer chamber (Fig. 7, parts 27 and 44a); a taper portion is formed with a diameter which gets smaller toward a front end side in said buffer chamber (Fig. 7, part 44a near where arrows converge); the taper portion opens between the nitrogen gas supply passage and the ejection passage (Fig. 7, where arrows converge); and the gas and liquid mix together wherein one of ordinary skill realizes that cleaning solution droplets will be formed.

Regarding claim 11, Hirsose in view of Tateyama is relied upon as above in claim 1. One of ordinary skill in the art realizes that the substitution made in claim 1 and the nozzle of Tateyama will form a vertical cross-sectional shape of an exit side periphery having an acute angle.

Regarding claim 12, Hirsose in view of Tateyama is relied upon as above in claim 1. Hirose teaches a spin chuck (Fig. 4, part 71) for holding a substrate horizontal; and a drive mechanism for moving the nozzle comprising a holding arm and guide rail (Fig. 4, parts 77 and 34, respectively).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN OSTERHOUT whose telephone number is (571)270-7379. The examiner can normally be reached on Monday-Thursday 8:30am-3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Barr can be reached on (571)272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BLO/

Benjamin L. Osterhout  
14 July 2009

/FRANKIE L. STINSON/  
Primary Examiner, Art Unit 1792